

INDEX MAPS.

T. 5 N. R. 9 E. 2nd Mer.

	7 ⁹	7 ⁸	6 ⁸	6 ⁸	6 ⁷	6 ⁷						
11	6	34	5	28	4	27	3	20	2	16	1	5
	33	33	27	23	19	15						
11	7	33	8	27	9	23	10	19	11	15	12	5
	32	32	26	23	18	15						
10	18	32	17	26	16	22	15	18	14	14	13	4
	31	31	26	22	18	14						
10	19	31	20	25	21	22	17	23	14	24	4	
	30	30	25	21	17	13						
9	30	29	29	25	28	21	27	17	26	13	25	4
	29	29	24	20	16	12						
9	31	28	32	24	33	20	34	16	35	12	36	3
	2	1	1	1	1	1						
		2	2	3	3	3						

T. 6 N. R. 9 E. 2nd Mer.

	61 ⁴²	41 ⁴²	41 ⁴²	41 ⁴²	40 ⁴²	40 ⁴²						
45	6	67	5	62	4	58	3	54	2	50	1	40
	67	67	61	57	53	49						
45	7	66	8	61	9	57	10	53	11	49	12	39
	66	65	61	57	53	49						
44	18	65	17	60	16	56	15	52	14	48	13	39
	65	64	60	56	52	48						
44	19	64	20	60	21	55	22	51	23	47	24	39
	64	63	59	55	51	47						
43	30	63	29	58	28	55	27	51	26	47	25	38
	63	62	59	54	50	46						
43	31	62	32	58	33	54	34	50	35	46	36	38
	36	35	35	35	35	35						
	37	37	37	37	36	36						

The figures on the lines refer to the page.

35

Township N. 6 North, Range N. 9 East, 2. Mer. Indiana
ch. 4th

South Boundary.

West On Rand^m. S. boundary of Sec. 36

23.75 a Brook 6 lth. wide Course S. W.

40.00 Set temp^y. q^r. Sec. post

68.15 a Brook 10 lth. wide Course N. W.

69.50 Same 10 " " " S. W.

71.75 Same 10 " " " N. W.

80.00 Set temp^y. Cor. to Sec. 35 of 36

Land flat, timber Beech, Oak, Gum, Poplar &c.

West On Rand^m. S. boundary of Sec. 35

24.70 a Brook 25 lth. wide Course S. W.

40.00 Set temp^y. q^r. Sec. post

56.20 a Brook 4 lth. wide Course S. W.

80.00 Set temp^y. Cor. to Sec. 34 of 35

Land timber &c. Same as on last mile

West On Rand^m. S. boundary of Sec. 34

11.50 a Brook 15 lth. wide Course S. W.

25.50 a Do. 10 " " " S. W.

39.77 a Do. 8 " " " S.

40.00 Set temp^y. q^r. Sec. post

75.50 a Brook 6 lth. wide Course S.

80.00 Set temp^y. Cor. to Sec. 33 of 34

Land timber &c. Same as on last mile

West On Rand^m. S. boundary of Sec. 33

40.00 Set temp^y. q^r. Sec. post

44.25 a Brook 8 lth. wide Course S. W.

78.00 a Do. 10 " " " S.

80.00 Set temp^y. Cor. to Sec. 32 of 33

Land timber &c. Same as on last mile

West On Rand^m. S. boundary of Sec. 32

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Cor. to Sec. 31 of 32

T6 N 179 E. 2nd Mer. Indiana

ch² 1/2 m

Land level, timber Beech, Oak, Ash, Poplar
Gum &c.

West On Rand^m. S. boundary of Sec. 31

2.50 a Beech 8 1/2 m. wide Corner N.W.

8.20 a Do. 4 " " " N.E.

40.00 Set temp. q^r. Sec. post

53.50 a Beech 4 1/2 m. wide Corner S.

68.62 full 436 l^{ts}. N. of where the line run by Mr.
Lisson intersected an E & W line run by Mr.
Holmes. Land gently ascending & descending
Beech, Oak, Poplar &c. Nov. 5th 1806.

True Line. var. 5th 30' E.

West On S. boundary of Sec. 36

3.95 a Beech 38 m. dist.

35.80 an Ash 12 " "

40.00 Set q^r. Sec. post, from which

a Beech 10 m. dist. by N 70 E 10 l^{ts}. dist. of
an Ash 5 " " " S 88 W 19 " "

44.23 an Ash 20 " "

64.96 a Beech 12 " "

68.40 a Do 18 " "

74.95 a S. Gum 27 " "

80.00 Set post On to Sec. 35 of 36, from which

a Beech 11 m. dist. by N 27 W 8 l^{ts}. dist. of
a Do. 24 " " " S 16 W 14 " "

West On S. boundary of Sec. 35

16.60 a Beech 20 m. dist.

27.14 a W. Oak 48 " "

34.43 a Beech 20 " "

40.00 Set q^r. Sec. post, from which

a Beech 13 m. dist. by N 50 W 11 l^{ts}. dist. of
a Do. 6 " " " S 17 W 5 " "

62.00 a Beech 15 " "

St. R 9 E. 2. Mer. Indiana

37

ch. P. 1/4

68.68 a Poplar 56 in. dia.

80.00 Let post Cor. to Sec. 34 & 35, from which
a Beech 15 in. dia. bray N 24 E 7 1/2 km. dist. of
a Do. 7 " " " S 25 E 27 " "

West On South Boundary of Sec. 34

20.00 a Beech 20 in. dia.

40.00 Let q. Sec. post, from which
a Beech 12 in. dia. bray N 65 E 30 1/2 km. dist. of
an Elm 8 " " " S 67 1/2 W 16 " "

80.00 Let post Cor. to Sec. 33 & 34, from which
a Beech 12 in. dia. bray N 82 1/2 W 28 km. dist. of
an Elm 20 " " " S 85 E 40 " "

West On S. Boundary of Sec. 33

21.00 a Beech 20 in. dia.

40.00 Let q. Sec. post, from which
a Beech 18 in. dia. bray North 21 km. dist. of
a Do. 15 " " " S 51 1/2 W 10 " "

80.00 Let post Cor. to Sec. 32 & 33, from which
a Beech 16 in. dia. bray N 66 W 3 km. dist. of
a Do. 8 " " " S 74 E 21 " "

West On S. boundary of Sec. 32

40.00 Let q. Sec. post, from which

a W. Oak 24 in. dia. bray N 47 E 22 1/2 km. dist. of
a Do. 13 " " " S 61 1/2 W 13 " "

80.00 Let post Cor. to Sec. 31 & 32, from which
a Beech 16 in. dia. bray East 9 km. dist. of
a Do. 13 " " " S 62 W 32 " "

West On S. boundary of Sec. 31

35.00 a Brook 10 km. wide (run) with the line

40.00 Let q. Sec. post, from which

a Beech 13 in. dia. bray S 76 W 8 km. dist. of
a Dogw. 5 " " " S 51 E 6 " "

St. R. C. E. 2^d. Mer. Indiana
 68.64 Let post Cor. to Township 5, 6 N. Range
 8 & 9 East, from which
 at Beech 8 in. dia. bray N 67 E 6 km. dist. of
 a Do. 16 " " " S 21 E 12 " "
 Brook continues north of the line, run, 185 ft.
 November 6th. 1806

East Boundary
 12th. 13th. 14th. of November 1806. var. 5. 30. 6
 North On E. boundary of Sec. 36
 17.40 at Brook 8 km. wide Course N. W.
 19.85 a Poplar 38 in. dia.
 23.15 at Brook 10 km. wide Course S. W.
 40.00 Let gr. Sec. post, from which
 a W. Oak 18 in. dia. bray N 86 E 30 km. dist. of
 a Do. 16 " " " S 59 W 14 " "
 50.58 a S. Gum 24 " "
 56.25 a W. Oak 30 " "
 69.00 at Brook 10 km. wide Course W.
 80.00 Let post Cor. to Sec. 25 & 36, from which
 a W. Oak 24 in. dia. bray N 22 E 8 km. dist. of
 a Beech 20 " " " S 41 W 25 " "
 Land flat, timber, Beech, Oak, Maple,
 Gum, Poplar &c.

North On E. boundary of Sec. 25
 0.92 a Beech 20 in. dia.
 16.20 at Brook 15 km. wide Course S. W.
 32.54 a Beech 28 in. dia.
 40.00 Let gr. Sec. post, from which
 a Dogwood 8 in. dia. bray N 73 W 12 km. dist. of
 a Beech 30 " " " S 18 E 28 " "
 56.22 a Creek 60 km. wide Course S. W.
 80.00 Let post Cor. to Sec. 24 & 25, from which
 a Beech 17 in. dia. bray N 22 E 5 km. dist. of
 a Do. 16 " " " S 59 W 34 " "

39

St. R. E. 2nd Mer. Indiana
ch. lks Land waving, timber Beech, Sugar, Poplar
Ash &c.

North On E. boundary of Sec. 24
16.12 a W. Oak 28 m. dist.
28.40 a Poplar 42 " "
37.75 a Brook 3 lks. wide Course E.
40.00 At q^r. Sec. post, from which
a Beech 12 m. dist. by S 19 W 17 lks. dist. of
a Do. 9 " " " S 16 W 21 " "
56.38 a Beech 20 " "
80.00 At post Cor. to Sec. 13 & 24, from which
a Beech 8 m. dist. by N 66 E 13 lks. dist. of
a Poplar 36 " " " S 59 W 31 " "
Land level, timber Beech, Oak, Hickory, Poplar &c

North On E. boundary of Sec. 13
0.75 a Beech 24 m. dist.
1.25 a Do. 24 " "
13.30 a Brook 12 lks. wide Course N. W.
19.50 a Do. 12 " " " S. W.
40.00 At q^r. Sec. post, from which
a Beech 7 m. dist. by N 67 E 19 lks. dist. of
a Poplar 18 " " " S 35 W 16 " "
45.25 a Brook 10 lks. wide Course W.
60.54 a Beech 24 m. dist.
70.10 a Brook 4 lks. wide Course W.
80.00 At post Cor. to Sec. 12 & 13, from which
a Beech 20 m. dist. by N 31 E 25 lks. dist. of
a Do. 10 " " " S 8 E 13 " "
Land waving, timber Beech, Sugar, Oak &c

North On E. boundary of Sec. 12
3.90 a Brook 8 lks. wide Course W.
29.80 a Creek 60 " " " W.
40.00 At q^r. Sec. post, from which

T^h St. R⁹ E. 2^d Mer. Indiana

ch. lth.

- a Sugar 16 m. diam. bray N 39 E 3 lth. dist. of
 a Do. 12 " " " S 64 W 14 " "
 67.67 a W. Oak 54 " "
 80.00 Set post Cor. to Sect. 1 & 12, from which
 a S. Gum 30 m. diam. bray S 37 W 16 lth. dist. of
 a Beech 11 " " " N 1 E 12 " "
 Sand, level, timber Beech, Oak, Hickory, Gum
 Poplar &c.

North On E. boundary of Sec. 1

- 9.75 a Brook 6 lth. wide Course S. W.
 13.47 a Beech 28 m. dist.
 37.20 a Brook 8 lth. wide Course S. W.
 40.00 Set q. Sec. post, from which
 a Beech 11 m. diam. bray N 42 E 13 lth. dist. of
 a Do. 10 " " " S 52 W 10 " "
 47.50 a Poplar 48 " "
 60.10 a Brook 8 lth. wide Course W.
 65.30 a Do. 10 " " " S. W.
 80.00 Set post Cor. to Township, 6 & 7 North, Range
 9 & 10 East, from which
 a Beech 10 m. diam. bray N 8 1/2 E 21 lth. dist. of
 a Do. 14 " " " S 13 E 22 " "
 Sand waving, timber Beech, Sugar, Oak
 Hickory, Poplar &c.

North Boundary.

Random line — Course is S 89.20' W

Met On S. boundary of Sec. 36, T^h St. R⁹ E.

- 36.45 a Brook 5 lth. wide Course S. W.
 40.00 Set temp. q. Sec. post
 62.80 a Brook 5 lth. wide Course S. W.
 79.00 bend of a Brook 12 lth. wide, run with the line
 80.00 Set temp. Cor. to Sect. 35 & 36 [South side]
 Sand waving, timber Beech, Sugar, Oak &c.

St. R9E. 2^d. Mer. Indiana 41

ch^lth^y
 West On S. boundary of Sec. 35, T⁷N. R9E.
 4.80 a Brook 15th wide Course N.W.
 26.30 a do. 6 " " " N.W.
 40.00 Let temp^y. of Sec. post
 80.00 Let temp^y. Cor. to Sec. 34 & 35
 Land Broken, timber Beech, Sugar, Oak, Poplar &c
 November 15th. 1806.

West On S. boundary of Sec. 34, T⁷N. R9E.
 8.45 a Brook 5th wide Course N.
 15.65 a do. 5 " " " N.
 26.00 a do. 10 " " " N.
 40.00 Let temp^y. of Sec. post
 71.25 a Brook 6th wide Course N.W.
 80.00 Let temp^y. Cor. to Sec. 33 & 34
 Land timber &c. Same as on last mile

West On S. boundary of Sec. 33, T⁷N. R9E.
 22.30 a Brook 10th wide Course N.
 40.00 Let temp^y. of Sec. post
 68.30 a Brook 20th wide Course S.W.
 80.00 Let temp^y. Cor. to Sec. 32 & 33
 Land timber &c. Same as on last mile

West On S. boundary of Sec. 32, T⁷N. R9E
 13.62 a Brook 8th wide Course S.
 40.00 Let temp^y. of Sec. post
 65.42 a Brook 15th wide Course S.W.
 80.00 Let temp^y. Cor. to Sec. 31 & 32
 Land waving, timber Beech, Oak, Poplar, Hickory

West On S. boundary of Sec. 31, T⁷N. R9E.
 34.00 a Brook 20th wide Course S.W.
 37.60 a do. 12 " " " S.E.
 40.00 Let temp^y. of Sec. post
 72.22 fell 38th S. of corner. Land Broken

42

T6 N. R9 E. 2^d. Mer. Indiana
 ch. 1st 1/4
 timber Beech, Oak, Poplar, Hickory &c.

True Line

East On S. boundary of Sec. 31, T7 N. R9 E

32.22 Set of Sec. post, from which

a Beech 30 in. dia. bray S73 E 29 lks. dist. of

a Hogw^d. 5 " " " N45 W 12 " "

72.22 Set post Cor. to Sec. 31, 32, T7 N. R9 E, from which

a Beech 30 in. dia. bray N88 E 32 lks. dist. of

a Ho. 16 " " " N82 W 25 " "

East On S. boundary of Sec. 32, T7 N. R9 E.

40.00 Set of Sec. post, from which

a Beech 14 in. dia. bray S21 E 18 lks. dist. of

a B. Oak 5 " " " N13 W 27 " "

80.00 Set post Cor. to Sec. 32, 33, from which

a Poplar 8 in. dia. bray N63 E 6 lks. dist. of

a Ho. 5 " " " S72 W 6 " "

East On S. boundary of Sec. 33, T7 N. R9 E.

40.00 Set of Sec. post in edge of a brook, from which

an Elm 10 in. dia. bray S11 E 30 lks. dist. of

a Dogwood 8 " " " S80 E 29 " "

80.00 Set post Cor. to Sec. 33, 34, from which

a Beech 34 in. dia. bray N82 E 16 lks. dist. of

a Ho. 7 " " " N70 W 20 " "

East On S. boundary of Sec. 34, T7 N. R9 E.

40.00 Set of Sec. post, from which

a Beech 10 in. dia. bray N68 E 3 lks. dist. of

a Sugar 10 " " " S32 W 33 " "

80.00 Set post Cor. to Sec. 34, 35, from which

a Beech 36 in. dia. bray N7 E 25 lks. dist. of

a Sugar 8 " " " S38 E 15 " "

East On S. boundary of Sec. 35, T7 N. R9 E.

T6N-129E. 2nd Mer. Indiana

43

ch. l. lks

16.23 a Maple 36 in. diam.

40.00 Let of Sec. post, from which
a Beech 16 in. diam. bray N12W 1 lks. dist. of
a do. 24 " " " 15 E 24 " "

61.48 a Beech 20 " "

80.00 Let post, Cor. to Sec. 35 & 36, from which
a Beech 11 in. diam. bray N84E 10 lks. dist. of
a do. 30 " " " 187 W 29 " "

East On S. boundary of Sec. 36, T6N. 129E.

40.00 Let of Sec. post, ~~Cor. to S~~ from which
a Hickory 8 in. diam. bray N63E 2 lks. dist. of
a Beech 6 " " " 121 E 9 " "

42.20 a Poplar 30 " "

57.58 a do. 48 " "

77.10 a Beech 22 " "

80.00 to the Township Corner
November 16th 1806

West Boundary var. 5.30. E.

North On E. boundary of Sec. 36, T6N. 128E.

1.15 a Brook 15 lks. wide Course N80 W.

12.44 a Beech 16 in. diam.

28.44 a do 18 " "

40.00 Let of Sec. post, from which
a Sugar 12 in. diam. bray N67W 13 lks. dist. of
a do. 15 " " " N85 E 14 " "

42.50 a Creek 100 lks. wide Course W.

69.75 a Brook 8 " " " E.

80.00 Let post Cor. to Sec. 35 & 36, from which
a Sugar 15 in. diam. bray N28 1/2 E 17 lks. dist. of
a Beech 18 " " " 14 W 30 " "

Land waving, timber Beech, Sugar, Poplar
Poplar, Oak &c.

North On E. boundary of Sec 25, T6N. 128E.

T6 N R9 E 2^d Mer. Indiana

chth 1/4

- 1.50 a Brook 1 1/2 km wide Course E.
 20.07 a Beech 16 in. dia.
 25.80 a Brook 3 km wide Course N.
 40.00 Let gr. Sec. post, from which
 a S. Gum 9 in. dia. bray N 71 W 22 km, dist. of
 a Beech 15 " " " S 35 E 10 " "
 52.25 a Beech 22 " "
 63.60 a Brook 8 km wide Course W.
 76.10 a Beech 36 in. dia.
 80.00 Let post Cor. to Sec. 24 of 25, T6 N R8 E, from which
 a Beech 4 1/2 in. dia. bray S 74 E 8 km, dist. of
 a Do. 14 " " " S 83 W 15 " "
 Land waving, timber Beech, Sugar, Poplar, oak.

North On E. boundary of Sec. 24, T6 N R8 E.

- 2.20 a Brook 20 km wide Course W.
 15.25 a Beech 18 in. dia.
 23.00 a Brook 25 km wide Course W.
 31.25 a Beech 16 in. dia.
 40.00 Let gr. Sec. post, from which (in bank of brook 15 km)
 a W. Oak 18 in. dia. bray S 43 E 25 km, dist. of
 a Beech 7 " " " N 30 W 36 " "
 42.65 a Brook 15 km wide Course S. W.
 48.00 a Do. 4 " " " S. E.
 55.00 a Beech 15 in. dia.
 59.90 a Do. 17 " "
 80.00 Let post Cor. to Sec. 13 of 24, T6 N R8 E, from which
 a Beech 20 in. dia. bray North 5 km, dist. of
 a Do. 7 " " " S 55 W 22 " "
 Land timber &c. same as on last mile

North On E. boundary of Sec. 13, T6 N R8 E.

- 7.90 a Brook 8 km wide Course N. E.
 11.00 a Do. 15 " " " N. W.
 22.95 a W. Oak 18 in. dia.
 40.00 Let gr. Sec. post, from which

45

S6 N. R9 E. 2^d Mer. Indiana

Ch. 1st m.

- an Ash 15 in. dia. - bray S 31 E 7th m. dist. of
 a Beech 14 " " " N 48 W 31 " "
 47.40 a Brook 10th m. wide Course N.W.
 48.81 a Beech 17 in. dia.
 63.60 a Brook 6th m. wide Course W.
 66.69 a Beech 16 in. dia.
 74.25 a Brook 20th m. wide Course N.E.
 80.00 Let post Cor. to Sec. 12 & 13, T6 S. R8 E, from which
 a Sugar 30 in. dia. - bray South 30th m. dist. of
 a Beech 12 " " " N 59 W 25 " "
 Land timber &c. Same as last mile

- North On E. boundary of Sec. 12, T6 S. R8 E
 12.25 a Brook 35th m. wide run N.W. a considerable
 Rapid, but not a sufficient quantity of water for business
 20.90 a Beech 15 in. dia.
 40.00 Let of Sec. post, from which
 a Beech 17 in. dia. - bray S 59 E 16th m. dist. of
 a Do. 6 " " " N 81 W 11 " "
 52.05 a Creek 80th m. wide N.W. a good mill stream, abound with
 66.00 Same 80 " " S.E. ^{beautiful building stone}
 78.50 Same 80 " " S.W.
 80.00 Let post Cor. to Sec. 1 & 12, T6 S. R8 E, from which
 a Beech 8 in. dia. - bray S 31 W 20th m. dist. of
 a Do. 15 " " " N 30 E 51 " "
 Land Broken, timber Beech, Oak, Hickory, ash &c
 *This post stands on the bank of Creek

- North On E. boundary of Sec. 1, T5 S. R8 E
 11.60 a Creek 80th m. wide Course S.E.
 18.20 Same 80 " " " W.
 26.60 a Poplar 12 in. dia.
 40.00 Let of Sec. post, from which
 a Beech 12 in. dia. - bray N 11 W 3th m. dist. of
 a Do. 14 " " " S 59 E 18 " "
 53.60 a Beech 30 " "

T^h N. R 9 E. 2^d Mer. Indiana

ch. lks

64.03 a Poplar 46 in. dia.

73.25 a Beech 18 " "

80.00 Set post Cor. to Township 6 of 7 North, Range 8 of 9 East, from which

a Beech 18 in. dia. bears N 43 E 17 lks. dist. &

a Do. — " " " N 43 W 21 " "

Land, waving, timber Beech, Poplar, Oak, Hickory &c.

November 7th, 1876

Surveyed By

John Brownson,

Deputy Surveyor

Subdivision. Nov. 17th 1876North Between Secs. 35 & 36, T^h N. R 9 E.

7.00 a dry Brook 10 lks. wide Course S. W.

25.68 a Beech 20 in. dia.

40.00 Set of Sec. post, from which

a Beech 12 in. dia. bears S 50 W 20 lks. dist. &

a Do. 14 " " " S 32 E 13 " "

44.50 a dry Creek 10 lks. wide Course S. W.

68.58 a Beech 18 in. dia.

80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which

a S. Gum 18 in. dia. bears S 76 E 20 lks. dist. &

a W. Oak 15 " " " N 29 W 4 " "

Over level land not a good 2^d rate timber Beech W. Oak
Gum, Poplar &c. Some Spice undergrowth, middling
farming Land

East On Random between Secs. 25 & 36

40.00 Set temp^y. of Sec. post.81.13 Intersected the E. boundary 2 lks. N. of post
Land and timber the same as on the last mile

West Corrected between Secs. 25 & 36

40.56 Set of Sec. post at average dist. from which

a Beech 15 in. dia. bears N 36 E 5 lks. dist. &

S. N. R. G. E. D. Mer. Indiana

47

Ch. P. 167

a Beech 16 in. dia. bears S 11 1/2 W 20 lbs. dist. &
81. 13 to Section Corner

North Between Sec. 25 & 26

27. 38 a Beech 9 in. dia. bears

40. 00 Set of. Sec. post, from which
a Beech 12 in. dia. bears S 68 E 14 lbs. dist. &
a Sugar 9 " " " N 48 W 12 " "

45. 50 a Small Spring branch 3 lbs. wide Course N. E. is nearly dry

69. 54 a W. Ash 20 in. dia.

80. 00 Set post Cor. to Sec. 23 24, 25 & 26, from which
a Beech 15 in. dia. bears N 80 W 10 lbs. dist. &

a No. 18 " " " N 83 E 24 " "

the first half mile - timber Land &c. Same as last.
mile, the last rolling timber Beech Sugar &c.
principally good farming Land -

East On Random between Sec. 24 & 25

15. 00 a Creek 70 lbs. wide Course N. W.

40. 00 Set pump. of. Sec. post

81. 53 Intersected the E. boundary 14 lbs. N. of post
over rolling land 2nd rate timber Beech Sugar &c.
principally good farming Land -

West Corrected between Sec. 24 & 25

40. 76 Set of. Sec. post, at average dist. from which
a Sugar 12 in. dia. bears N 50 W 18 lbs. dist. &
a No. 6 " " " N 13 E 21 " "

81. 53 to Section Corner

North Between Sec. 23 & 24

2. 50 a Creek 70 lbs. wide Course S. W.

28. 00 a No. 10 " " " S. W.

31. 75 a Beech 10 in. dia.

40. 00 Set of. Sec. post, from which
an Ironwood 5 in. dia. bears N 36 W 8 lbs. dist. &

48

T. N. R. & Co. 2nd Mer. Indianach. 1st 1/2

- a Beech 20 in. dia. bears N 67 E 22 lks. dist.
 62.44 a Beech 2 1/2 " "
 75.30 a Creek 100 lks. wide Course West
 80.00 Set post Cor. to Sect. 13/14, 23 & 24, from which
 a Beech 15 in. dia. bears S 24 1/2 E 31 lks. dist. &
 an Elm 15 " " " S 49 W 32 " "
 Over broken Land 2nd rate soil, timber Beech, Poplar,
 Sugar &c. Undergrowth Spice not good farming Land-

East On Prandon between Sect. 13 & 24

- 10.00 a Creek 100 lks. wide Course S. W.
 40.00 Set temp. q. Sec. post
 82.82 Intersected the E. boundary 41 lks. S. of post
 the first half mile Over Broken Land and the last
 level timber Beech Poplar Gum Sugar &c. middling
 good farming Land.

West Corrected between Sect. 13 & 24

- 41.41 Set q. Sec. post, at average dist. from which
 a Beech 20 in. dia. bears N 57 W 23 lks. dist. &
 a No. 20 " " " S 72 E 16 " "
 82.82 to Section Corner

November 18th 1816. var. 5.00' E.

North Between Sect. 13 & 14

- 22.40 a Beech 10 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 18 in. dia. bears N 69 E 29 lks. dist. &
 a W. Ash 6 " " " S 34 E 10 " "
 44.00 to the bend in a Creek 100 lks. wide course S. E.
 68.19 a Beech 5 in. dia.
 80.00 Set post Cor. to Sect. 11, 12, 13 & 14, from which
 a Sugar 12 in. dia. bears S 13 W 28 lks. dist. &
 a Linn 20 " " " N 72 E 5 " "
 Over broken land 2nd rate soil, timber Beech, Poplar,
 Sugar, W. Oak &c. not good farming Land-

Pm 10

49

T^h R^g E. 2^m Mer. Indiana

ch. A. 67

East On Prandon between Sec. 12 & 13.

29.00 a Creek 30 lks. wide Course S. 1.00 lks. and enters in
to a Creek 100 lks. Course W.

40.00 Set temp. q. Sec. post

40.50 a Creek 100 lks. wide Course S. 85 W.

71.50 a Brook 12 " " " N. W. nearly dry

81.34 Intersected the E. boundary 25 lks. S. of post
over broken land 2^d rate Soil timber same not good
farming Land-

West Corrected between Sec. 12 & 13

40.67 Set q. Sec. post, at average dist. from which
a Beech 10 in. dia. bears N 2 E 2 lks. dist. &

a No. 18 " " " S 59 W 17 " "

81.34 to Section Corner

North Between Sec. 11 & 12, var. 5° 25' E.

21.02 a S. Gum 14 in. dia.

40.00 Set q. Sec. post, from which

a Elm 20 in. dia. bears N 88 E 12 lks. dist. &

a Beech 10 " " " N 76 W 27 " "

60.84 a Maple 12 " "

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which

a Beech 16 in. dia. bears S 67 E 9 lks. dist. &

a S. Gum 10 " " " N 48 W 16 " "

over level land 2^d rate timber W. Oak Beech Poplar
Gum Maple &c. middling farming Land-

East On Prandon between Sec. 1 & 12

40.00 Set temp. q. Sec. post

51.50 a Creek 20 lks. wide Course South

81.85 Intersected the E. boundary 13 lks. N. of post.

over rolling Land 2^d rate timber Beech & Poplar.
good farming Land-

West Corrected between Sec. 1 & 12

50

St R9E. 2.nd Mer. Indiana
ch. 11th

- 40.92 Set of. Sec. post, at average dist. from which
a Beech 30 in. dia. bears N25 E 25 lks. dist. 4
a No. 5 " " " N37 W23 " "
81.85 to Section Corner

North Between Sect. 1 & 2.

25.24 a Beech 12 in. dia.

40.00 Set of. Sec. post, from which
a Beech 13 in. dia. bears N80 E 12 lks. dist. 4
a No. 8 " " " S81 W40 " "

59.22 a S. Gum 13 " "

76.50 a Brook 10 lks. wide Course W. which appears
never to be dry.

78.65 Intersected the N. boundary 186 lks. E. of post
Set post Cor. to Sect. 1 & 2, from which
a Beech 8 in. dia. bears S75 W11 lks. dist. 4
a No. 12 " " " S58 E35 " "
Over level Land 2.nd rate timber principally Beech
Gum Poplar & Hickory middling farming Land

November 19th 1806

North Between Sect. 34 & 35

24.20 a Beech 20 in. dia.

40.00 Set of. Sec. post, from which
a Beech 10 in. dia. bears S62 W29 lks. dist. 4
a No. 18 " " " N31 E4 " "

61.34 a Beech 13 " "

80.00 Set post Cor. to Sect. 26, 27, 34 & 35, from which
a Beech 18 in. dia. bears S38 1/2 W3 lks. dist. 4
a No. 24 " " " N58 E31 " "
Land level 2.nd rate timber Beech, Poplar, Maple,
Gum &c. middling farming Land

East On Random between Sect. 26 & 35

40.00 Set temp. of. Sec. post

79.94 Intersected the N. & S. line 18 lks. S. of post

51

T6N R9E 2nd Mer. Indiana

ch^d. 16th

Land and timber the same

West Corrected between Sec^s. 26 & 35

39.97 Set of. Sec. post at average dist. from which
a Beech 5 in. dia. bears N 85 W 9 lks. dist. &
a Gum 12 " " " S 89 E 9 " "

79.94 to Section Corner

North Between Sec^s. 26 & 27.

29.87 a Beech 20 in. dia. bears

40.00 Set of. Sec. post, from which
a Beech 10 in. dia. bears S 71 W 14 lks. dist. &
a W. Ash 5 " " " S 82 E 17 " "

72.22 a Beech 10 " "

80.00 Set post cor. to Sec^s. 22, 23, 26, & 27. from which
a Beech 13 in. dia. bears S 81 E 19 lks. dist. &
a Poplar 10 " " " N 52 W 45 " "
over level Land 2nd rate timber same as last mile
good farming Land.

East On Prandon between Sec^s. 23 & 26

40.00 Set temp^y. of. Sec. post

71.00 a Creek 70 lks. wide Course S. W.

77.50 a Do. 70 " " " N. W.

79.94 Intersected the N. & S. line 18 lks. S. of post.

Over rolling Land 2nd rate timber Beech Poplar
Sugar &c. undergrowth Spice good farming Land.

West Corrected between Sec^s. 23 & 26

39.97 Set of. Sec. post, at average dist. from which
a Beech 14 in. dia. bears S 78 E 11 lks. dist. &
a Do. 18 " " " N 81 W 35 " "

79.94 to Section Corner

North Between Sec^s. 22 & 23

18.46 a Beech 18 in. dia.

East N 9 E. 2nd Mer. Indiana

ch. 1st 1/2

- 30.00 a Creek 70 lks. wide Course N.
 40.00 Set q. Sec. post, from which
 a Beech 20 in. dia. bears N 73 E 9 lks. dist. &
 a Poplar 36 " " " S 75 W 33 " "
 62.39 a Beech 14 " "
 75.00 a Small Stream of water. Course S. E.
 80.00 Set post Corner to Sec. 14, 15, 22 & 23, from which
 a Beech 9 in. dia. bears N 63 E 11 lks. dist. &
 a Do. 12 " " " S 71 W 15 " "
 Over rolling land good 2nd rate the principle
 timber is Beech Sugar & Poplar very good
 farming Land undergrowth Spice-

East On Random between Sec. 14 & 23

- 10.00 a Small Brook Course S. E.
 25.00 a Creek 100 lks. wide Course S. W. 200 lks. below
 a Creek 60 lks. wide enters into this Creek which
 comes from the S. E.
 40.00 Set temp. q. Sec. post
 70.00 a Creek 100 lks. wide Course N. W.
 79.79 Intersected the N & S. line 2 lks. N. of post
 over level land 1st rate it being the Creek
 bottom timber Beech poplar Ash B. Walnut &c.
 good farming Land

West Corrected between Sec. 14 & 23

- 39.89 Set q. Sec. post, at average dist. from which
 a Beech 18 in. dia. bears S 72 E 21 lks. dist. &
 a Do. 12 " " " N 37 W 26 " "
 79.79 to Section Corner.

November 20th 1806

North Between Sec. 14 & 15.

- 8.00 a Spring course S. E.
 28.24 a Maple 10 in. dia.
 40.00 Set q. Sec. post, from which

53

S6 N R9 E. 2nd Mer. Indiana

ch. 1/4

- a Beech 13 in. dia. bears South 8 lbs. dist. &
 a No. 4 " " " N 2 1/2 E 24 " "
 69.56 a S. Gum 18 " "
 80.00 Set post Cor. to Sect. 10, 11, 14 & 15, from which
 a Beech 18 in. dia. bears N 70 W 20 lbs. dist. &
 a No. 8 " " " N 78 E 4 " "
 Over level Land 2nd rate timber W. Oak Gum
 Maple Poplar &c. good farming Land

East On Random between Sect. 11 & 14

- 40.00 Set temp. q. Sec. post.
 81.17 Intersected the N. & S. line at the post
 Land and timber the same as last mile.

West Connected between Sect. 10 & 14

- 40.58 Set q. Sec. post, at average dist. from which
 a Beech 12 in. dia. bears S 58 E 12 lbs. dist. &
 a No. 18 " " " N 58 W 32 " "
 81.17 to Section Corner

North Between Sect. 10 & 11

- 21.80 a Beech 5 in. dia.
 30.50 a dry Creek 10 lbs. wide Course S. W.
 40.00 Set q. Sec. post, from which
 a Beech 18 in. dia. bears N 55 E 10 lbs. dist. &
 a No. 4 " " " S 81 W 10 " "
 67.67 a Beech 18 " "
 80.00 Set post Cor. to Sect. 2, 3, 10 & 11, from which
 a Sugar 9 in. dia. bears S 7 1/2 E 21 lbs. dist. &
 a Beech 10 " " " S 34 W 21 " "
 Land timber &c. same as on the last mile

East On Random between Sect. 2 & 11

- 30.00 a dry Creek 10 lbs. wide Course N. W.
 40.00 Set temp. q. Sec. post
 80.64 Intersected the N. & S. line 10 lbs. S. of post

West R9E. 2nd Mer. Indiana ch. 164

Land timber &c. Same as on the last. mile -

West Connected between Sect. 2 & 11

40.32 Set of Sec. post, at average dist. from which
 a Beech 13 in. dia. bears N 77° W 10 lbs. dist. &
 a Maple 18 " " " S 61° E 47 " "

80.64 to Section Corner

North Between Sect. 2 & 3

00.50 a Brook 10 lbs. wide Course N. W.

20.85 a Poplar 36 in. dia.

40.00 Set of Sec. post, from which
 a Beech 12 in. dia. bears S 12° E 17 lbs. dist. &
 a Do. 12 " " " N 41° W 31 " "

67.56 a Gum 20 " "

77.53 Intersected the N. boundary 318 lbs. W. of post
 Set post cor. to Sect. 2 & 3, from which
 a Beech 20 in. dia. bears N 59° W 9 lbs. dist. &
 a Do. 6 " " " N 87° E 15 " "
 Over rolling land 2nd rate timber beech, Poplar,
 Gum, Sugar, &c. undergrowth Spice good farming land

November 21st 1806

North Between Sect. 33 & 34.

25.18 a W. Oak 20 in. dia.

40.00 Set of Sec. post, from which
 a Beech 11 in. dia. bears S 43° W 21 lbs. dist. &
 a Do. 10 " " " N 49° E 39 " "

61.91 a Maple 18 " "

80.00 Set post cor. to Sect. 27, 28, 33 & 34, from which
 a Beech 12 in. dia. bears S 2° W 18 lbs. dist. &
 a Do. 9 " " " N 17° W 8 " "
 Over level Land 2nd rate timber Beech, Poplar, Maple,
 Gum &c. middling farming Land -

East On Random between Sect. 27 & 34

West N9E. 2nd Mer. Indiana 55

ch. P. 164

40.00 Set temp. q. Sec. post

79.92 Intersected the N. & S. line 1.54 lks. S. of post
Land and timber the same as on the last mile

West Corrected between Sec. 27 & 34

39.96 Set q. Sec. post, at average dist. from which
a Beech 15 in. dia. bears N 61 E 16 lks. dist. 4
a No. 18 " " " S 94 W 34 " "

79.92 to Section Corner

North Between Sec. 27 & 28

22.30 a Beech 24 in. dia.

40.00 Set q. Sec. post, from which
a Beech 18 in. dia. bears S 40 E 10 lks. dist. 4
a No. 10 " " " N 33 W 26 " "

65.72 a Beech 18 " "

80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
a Beech 18 in. dia. bears N 82 W 18 lks. dist. 4
a No. 12 " " " S 72 E 61 " "

Over rolling Land good 2nd rate timber Beech, Sugar- &c.
Poplar - good farming Land -

East On Pradom between Sec. 22 & 27

40.00 Set temp. q. Sec. post.

49.50 a creek 15 lks. wide course N.W.

79.72 Intersected the N. & S. line 180 lks. S. of post.
Land & timber the same - good farming Land

West Corrected between Sec. 22 & 27

39.86 Set q. Sec. post, at average dist. from which
a Beech 12 in. dia. bears S 56 E 19 lks. dist. 4
a Sugar 9 " " " S 75 W 24 " "

79.72 to Section Corner

North Between Sec. 21 & 22

19.74 a Beech 18 in. dia.

Section 19 E. 2^d Mer. Indiana

ch. 11/2

- 25.00 a Creek 100 lbs. wide course W.
 28.00 a No. 100 " " " S. E.
 40.00 Set of. Sec. post, from which
 a Beech 20 in. dia. bears S 22 E 21 lbs. dist. 4
 a No. 10 " " " N 4 E 3 " "
 51.00 a Creek 100 lbs. wide course N. W.
 70.72 a Sugar 18 in. dia.
 80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 20 in. dia. bears S 11 W — lbs. dist. 4
 a No. 10 " " " N 45 E —
 this mile rather Broken Land 2nd rate Soil timber.
 Same middling farming Land —

Variation E. 40' E.

- East On Random between Sec. 15 & 22
 40.00 Set temp. of. Sec. post.
 79.45 Intersected the N. & S. line 23 lbs. N. of post
 over level land 2nd rate — timber Beech Poplar
 Gum & about middling farming Land —

- West Corrected between Sec. 15 & 22
 39.72 Set of. Sec. post, at average dist. from which
 a W. Oak 12 in. dia. bears N 8 E 6 lbs. dist. 4
 a Beech 20 " " " S 18 W 15 " "
 79.45 To Section Corner

- North Between Sec. 15 & 16.
 29.21 a Beech 15 in. dia.
 40.00 Set of. Sec. post, from which
 a Beech 10 in. dia. bears S 52 E 28 lbs. dist. 4
 a No. 20 " " " S 74 W 11 " "
 68.60 a Beech 9 " "
 80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
 a Beech 18 in. dia. bears N 83 E 15 lbs. dist. 4
 a Sugar 12 " " " S 69 W 26 " "
 over level land 2nd rate — timber Beech Poplar Gum &c.

57

Post No. 9 E. 2nd Mer. Indiana

ch. 2th

undergrowth Spice and Beech, not very good farming
Land to flat and wet in the Spring -

East On Prandon between Sec. 10 & 15
13.00 a dry Creek 10 lks. wide Course N.W.
40.00 Set temp. q. Sec. post
79.39 Intersected the N. & S. line 26 lks. S. of post
the first half mile rolling Land timber Beech, Poplar -
good farming Land the last half mile level timber
Beech Poplar Gum Maple &c. middling good -
farming Land -

West Corrected between Sec. 10 & 15
39.69 Set q. Sec. post, at average dist. from which
a Beech 20 in. dia. bears S 23 E 37 lks. dist. &
a No. 20 " " " S 13 E 1 " "
79.39 to Section Corner

North Between Sec. 9 & 10
20.45 a Beech 10 in. dia.
40.00 Set q. Sec. post, from which
a Beech 13 in. dia. bears S 70 E 14 lks. dist. &
a No. 7 " " " N 66 W 21 " "
43.50 a Creek 50 lks. wide Course N.W.
80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
a Beech 13 in. dia. bears North 6 lks. dist. &
a No. 9 " " " South 20 " "
over rolling land 2nd rate timber Beech Poplar Sugar
middling farming Land

East On Prandon between Sec. 3 & 10
40.00 Set temp. q. Sec. post
80.00 Intersected the N. & S. line at the post
over rolling Land 2nd rate timber Beech & Poplar
principally thickets of Spice Beech middling good
farming Land -

Lot R9E. 2nd Mer Indiana

ch. 1/2

West Corrected between Sect. 3 & 10
 40.14 Set of. Sec. post, at average dist. from which
 a Beech 18 in. dia. bears N50E33 lbs. dist. &
 a No. 10 " " " S3W19 " "
 80.28 to Section Corner

North Between Sect. 3 & 14

3.00 a Creek 30 lbs. wide Course S.W.
 19.00 a Small dry branch 6 lbs. wide Course S.E.
 20.09 a Beech 11 in. dia.
 40.00 Set of. Sec. post, from which
 a Beech 11 in. dia. bears S21E6 lbs. dist. &
 a No. 6 " " " N51W32 " "
 60.60 a Beech 7 " "
 78.36 Intersected the N. boundary 427 lbs. W. of post.
 Set post, Cor. to Sect. 3 & 14, from which
 a Beech 18 in. dia. bears S45E11 lbs. dist. &
 a No. 13 " " " S51W25 " "
 Over level Land not good 1st rate timber Beech
 Poplar Sugar &c. middling farming Land

North Between Sect. 32 & 33, Nov. 23rd 1806.

24.76 a Beech 11 in. dia.
 40.00 Set of. Sec. post, from which
 a Beech 15 in. dia. bears N59W10 lbs. dist. &
 a No. 15 " " " S64E29 " "
 50.00 a Creek 15 lbs. wide Course S.E.
 61.39 a Poplar 30 in. dia.
 80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which
 a Beech 18 in. dia. bears S58E13 lbs. dist. &
 a No. 13 " " " N52W12 " "
 Over level land not a good 2nd rate timber Beech,
 Poplar &c. not very good farming Land

East On Random between Sect. 28 & 33

40.00 Set temp. of. Sec. post

T^h R^g E. 2.^d Mer. Indiana ⁵⁹

ch^d. 1st

80.95 Intersected the N. & S. line 18 lks. S. of post.
Over level land not a good 2.nd rate timber Beech, Gum,
Poplar &c. not very good farming Land-

West Corrected between Sec^s. 28 & 33.

40.47 Set of. Sec. post, at average dist. from which
a Beech 18 in. dia. bears S 2 W 3 lks. dist. &
a Do. 20 " " " N 26 E 20 " "

80.95 to Section Corner

North Between Sec^s. 28 & 29. Variation 5°. 00' E.

19.15 a Creek 100 lks. wide Course S. W.

21.09 a Beech 20 in. dia.

30.57 a Creek 100 lks. wide Course S. E.

40.00 Set of. Sec. post, from which
a Beech 10 in. dia. bears S 45 1/2 E 16 lks. dist. &
a Sugar 14 " " " N 76 W 36 " "

52.50 a Creek 100 lks. wide Course N. W.

60.88 a Beech 14 in. dia.

80.00 Set post Cor. to Sec^s. 21, 22, 28 & 29. from which
a Beech 8 in. dia. bears N 19 W. 3 lks. dist. &
a Do. 10 " " " S 1 E 28
Over broken land 2.nd rate Soil timber Beech and
Sugar, not very good farming Land-

East On Prandom between Sec^s. 21 & 28.

40.00 Set temp^y. of. Sec. post.

65.00 a Creek 100 lks. wide Course S. W.

80.10 Intersected the N. & S. line 8 1/4 lks. S. of post.

Over rolling Land 2.nd rate - timber Beech Sugar not very
good farming Land-

West Corrected between Sec^s. 21 & 28

40.05 Set of. Sec. post, at average dist. from which
a Hickory 11 in. dia. bears S 36 W 31 lks. dist. &
a Beech 10 " " " N 57 E 17 " "

60 *St. Regis 2^d Mer. Indiana*

Ch. H. H.

80.10 to Section Corner

North Between Secs. 20 & 21

19.77 a Beech 6 in. dia.

40.00 Set of Sec. post, from which
a W. Oak 40 in. dia. bears N 8 W 10 lbs. dist. &
a Beech 6 " " " S 56 W 11 " "

61.70 a Do. 10 " "

80.00 Set post Cor. to Secs. 16, 17, 20 & 21, from which
a Beech 15 in. dia. bears S 30 E 18 lbs. dist. &
a Do. 10 " " " N 38 E 20 " "
over rolling Land not a good 2nd rate timber Beech.
Poplar &c. thickets of dogwood and green briars not
good farming Land-

East On Random between Secs. 16 & 21.

40.00 Set temp. of Sec. post

80.26 Intersected the N. & S. line 83 lbs. S. of post
over level land poor 2nd rate timber Beech, S. Gum,
Poplar &c. undergrowth Spice Beech & green briars
hardly middling farming Land-

West Corrected between Secs. 16 & 21

40.13 Set of Sec. post, at average dist. from which
a Beech 12 in. dia. bears S 77 E 10 lbs. dist. &
a Do. 11 " " " S 65 W 33 " "

80.26 to Section Corner

November 24th 1806

North Between Secs. 16 & 17.

23.50 a Beech 7 in. dia.

40.00 Set of Sec. post, from which
a Beech 15 in. dia. bears S 21 E 11 lbs. dist. &
a Do. 10 " " " N 57 W 23 " "

61.46 a Beech 10 " "

80.00 Set post Cor. to Secs. 8, 9, 16 & 17, from which

ch. P. 11y 36 N. 29 E. 2nd Mer. Indiana 61

a Beech 12 in. dia. bears N 44 W 11 lbs. dist. 4
 a No. 11 " " S 72 E 13 "
 Over 2nd rate Land rather rolling timber Beech
 W. Oak, Gum, Poplar Sugar &c. middling good
 farming Land -

East On Random between Sect. 9 & 16

40.00 Set temp. of. Sec. post

79.00 a Brook 10 lbs. wide. Course N. E. S. of post

80.19 Intersected the N. & S. line 78 lbs. S. of post.

Over level Land timber Same middling farming land.

West Corrected between Sect. 9 & 16

40.09 a Beech 24 in. dia. at average dist. fr. of. Sec. Cor.

80.19 to Section Corner

North Between Sect. 8 & 9

40.00 Set of. Sec. post, from which, from which

a Beech 18 in. dia. bears S 69 E 22 lbs. dist. 4

a No. 12 " " " N 72 1/2 W 7 " "

65.16 a Beech 30 " "

71.50 a Creek 40 lbs. wide Course W.

80.00 Set post Cor. to Sect. 4, 5, 8, & 9 from which

a Beech 18 in. dia. bears S 78 W 40 lbs. dist. 4

a W. Ash 10 " " " N 39 E 14 " "

Over rolling Land 2nd rate timber Beech, Poplar,
 Sugar &c. not much undergrowth middling
 good farming Land

East On Random between Sect. 4 & 9

36.50 a Small dry branch 6 lbs. wide Course S.

77.00 a Creek 20 " " " S. W.

80.06 Intersected the N. & S. line 115 lbs. S. of post.

Over rather broken 2nd rate land timber &c. Same
 as on the last mile -

62

Post R9 E. 2nd Mer. Indiana

ch. P. lky

West Connected between Sec. 4 & 9

40.05 Set of Sec. post, at average dist. from which
 a Poplar 40 in. dia. bears N 30 W 14 lks. dist. &
 a Beech 11 " " " S 9 W 31 " "

80.06 to Section Corner

North Between Sec. 4 & 5

20.00 a W. Oak 40 in. dia.

40.00 Set of Sec. post, from which
 a Beech 27 in. dia. bears N 21 E 34 lks. dist. &
 a Do. 5 " " " S 1 1/2 W 6 " "

62.50 a Creek 100 lks. wide course S. W.

79.48 Intersected the N. boundary 4.85 lks. N. of post
 Set post Cor. to Sec. 4 & 5, from which
 a Poplar 6 in. dia. bears S 26 E 15 lks. dist. &
 a Do. 8 " " " N 47 W 12 " "
 over rolling Land 2nd rate timber Beech Sugar
 Poplar &c. good farming Land-

November 25th 1806

North Between Sec. 31 & 32

5.00 a Small dry brook Course S. W.

21.38 a Beech 14 in. dia.

34.00 a Creek 15 lks. wide Course S. W. now dry

40.00 Set of Sec. post, from which
 a Beech 10 in. dia. bears S 18 W 24 lks. dist. &
 a Do. 8 " " " N 27 E 13 " "

73.29 a Beech 11 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 7 in. dia. bears N 89 E 21 lks. dist. &
 a Do. 24 " " " West 50 " "

over rolling Land 2nd rate timber Beech Poplar
 undergrowth Spice muddling forming Land

East On Rantons between Sec. 29 & 32

40.00 Set temp. of Sec. post.

63

T6th R9E. 2nd Mer. Indiana

ch. lks

- 43.00 a small dry branch course N.W.
 80.76 Intersected the N. & S. line 84 lks. S. of post
 Land timber &c. Same as last mile.

West Connected between Sect. 29 & 32

- 40.38 Set qf. Sec. post, at average dist. from which
 a Beech 18 in. dia. bears S 28 E 7 lks. dist. &
 a No. 14 " " " N 60 W 22 " "
 80.76 to Section Corner

West Between Sect. 30 & 31

- 19.00 a Creek 1.50 lks. wide course S.
 31.54 a Sugar 12 in. dia.
 40.00 Set qf. Sec. post, from which
 a Beech 8 in. dia. bears N 20 E 24 lks. dist. &
 a No. 6 " " " S 3 W 9 " "
 60.92 a Beech 15 " "
 68.75 Intersected the W. boundary 172 lks. S. of post
 Set post Cor. to Sect. 30 & 31, from which
 a Beech 5 in. dia. bears S 18 E 12 lks. dist. &
 a No. 25 " " " N 8 W 8 " "
 Land timber &c. Same as on the last mile.

North Between Sect. 29 & 30

- 10.00 a Creek 150 lks. wide course S.W.
 40.00 Set qf. Sec. post, from which
 a — 18 in. dia. bears S 41 W 17 lks. dist. &
 a No. 5 " " " N 53 E 15 " "
 43.00 a Creek 15 lks. wide course S.W.
 80.00 Set post Cor. to Sect. 19, 20, 29 & 30, from which
 a Beech 24 in. dia. bears S 22 W 12 lks. dist. &
 a No. 18 " " " N 25 W 24 " "
 Land timber &c. Same as on the last mile.

East On Random between Sect. 20 & 29

- 40.00 Set temp'y. qf. Sec. post.

64

Post R9E. 2nd Mer. Indiana

ch. l. l. l.

44.00 a Creek 15 l. wide course S. W.

79.60 Intersected the N. & S. line 74 l. S. of post.
Land timber &c. same as on last mile.

West Corrected between Sect. 20 & 29

39.80 Set q. Sec. post, at average dist. from which
a Beech 7 in. dia. bears N 84 E 24 l. dist. &
a Do. 5 " " " S 77 W 7 " "

79.60 to Section Corner

November 26th 1806

West Between Sect. 19 & 30

23.32 a Beech 11 in. dia.

40.00 Set q. Sec. post, from which
a Beech 18 in. dia. bears N 48 W 87 l. dist. &
a Poplar 57 " " " S 45 W 6 " "67.82 Intersected the W. boundary 170 l. South of post.
Set post Cor. to Sect. 19 & 30, from which
a Beech 18 in. dia. bears N 30 1/2 W 11 l. dist. &
a Do. 8 " " " S 55 E 12 " "
Land timber &c. same as last mile

North Between Sect. 19 & 20

26.00 a Beech 16 in. dia.

40.00 Set q. Sec. post, from which
a Beech 8 in. dia. bears N 7 E 15 l. dist. &
a Do. 20 " " " S 32 W 10 " "

41.20 a Small brook 7 l. wide Course S. W.

60.09 a S. Gum 20 in. dia.

80.00 Set post Cor. to Sect. 17, 18, 19 & 20, from which
a Beech 10 in. dia. bears S 86 W 26 l. dist. &
a W. Oak 30 " " " S 66 W 33 " "
Land level timber &c. same as last mile

East On Random between Sect. 17 & 20

40.00 Set temp. q. Sec. post

65

Section No. 2. Mer. Indiana

ch. lks
80.17 Intersected the N. & S. line 94 lks. S. of post.
Land & timber same good farming Land

November 27th 1806

West Corrected between Sect. 17 & 20

40.08 Set of Sec. post. at average dist. from which
a Beech 9 in. dia. bears N 16 E 22 lks. dist. &
a No. 24 " " " S 43 W 18 " "

80.17 to Section Corner

West Between Sect. 18 & 19

22.83 a Beech 12 in. dia.

40.00 Set of Sec. post. from which
a Beech 18 in. dia. bears S 41 W 17 lks. dist. &
a No. 16 " " " N 12 E 9 " "

67.12 Intersected the W. boundary 195 lks. S. of post
Set post cor. to Sect. 18 & 19, from which
a Beech 13 in. dia. bears N 12 E 25 lks. dist. &
a No. 6 " " " S 3 E 5 " "
Land and timber the same as last mile

North Between Sect. 17 & 18

21.74 a Beech 8 in. dia.

40.00 Set of Sec. post. from which
a Beech 14 in. dia. bears N 63 E 26 lks. dist. &
a No. 12 " " " S 37 W 27 " "

55.00 a Creek 20 lks. wide Course W.

29.26 a Beech 12 in. dia.

80.00 Set post cor. to Sect. 7, 8, 17 & 18, from which
a Beech 20 in. dia. bears S 78 W 14 lks. dist. &
a No. 12 " " " N 23 E 20 " "
Land timber &c. same as on the last mile

East On Prandon between Sect. 8 & 17

8.50 a Brook 10 lks. wide Course N. W.

40.00 Set temp. of Sec. post.

St. Regis 2nd Mer. Indiana

ch. P. 147

- 64.00 a Brook 6 lks. wide Course N.W.
 80.69 Intersected the N. & S. line 80 lks. S. of post.
 Land and timber same as last mile

West Corrected between Sect. 8 & 17

- 40.34 Set of. Sec. post, at average dist. from which
 a Beech 12 in. dia. bears S 51° W 30 lks. dist. &
 a No. 9 " " " N 55° E 34 " "
 80.69 to Section Corner

West Between Sect. 7 & 18

- 23.53 a Beech 14 in. dia.
 35.50 a Creek 20 lks. wide Course N.W.
 38.00 a Spring a few lks. North
 40.00 Set of. Sec. post, from which
 a B. Ash 18 in. dia. bears S 72° W 25 lks. dist. &
 a Beech 16 " " " N 61° E 27 " "
 62.00 a Brook 10 lks. wide Course N.
 65.47 Intersected the W. boundary 195 lks. S. of post
 Set post Cor. to Sect. 7 & 18, from which
 a Beech 18 in. dia. bears S 41° E 19 lks. dist. &
 a No. 18 " " " N 72° E 41 " "
 Land timber &c. same as on the last mile

North Between Sect. 7 & 8.

- 22.50 a Sugar 18 in. dia.
 40.00 Set of. Sec. post, from which
 a Beech 20 in. dia. bears N 35° W 19 lks. dist. &
 a No. 14 " " " S 22° E 22 " "
 62.18 a Beech 5 " "
 63.18 a Creek 20 lks. wide Course N.W.
 80.00 a No. 40 " " " S.W.
 Set post Cor. to Sect. 5, 6, 7 & 8, from which
 a Beech 20 in. dia. bears S 13° W 64 lks. dist. &
 a Sugar 10 " " " N 15° E 49 " "
 Land timber &c. the same as on last mile

ch. 11
 Sect R9 E. 2nd Mer. Indiana 67
 Good farming Land.

East On Random between Sect. 5 & 8
 31.00 a Creek 50 lks. wide Course S.W. thence up
 the Creek 15.00 Chains
 40.00 Set temp. g. Sec. post.
 80.00 Intersected the N. & S. line 50 lks. S. of post
 over broken Land 2nd rate timber Same not good
 farming Land

West Corrected between Sect. 5 & 8
 40.00 Set g. Sec. post. at average dist. from which
 a Ironwood 8 in. dia. bears S 50 E 37 lks. dist. &
 a Sugar 7 " " " N 32 W 55 " "
 80.00 to Section Corner

West Between Sect. 6 & 7
 35.00 a Creek 60 lks. wide Course N.W.
 40.00 Set g. Sec. post. from which
 a Beech 9 in. dia. bears N 20 W 24 lks. dist. &
 a Do. 13 " " " S 29 E 33 " "
 47.00 a Creek 60 lks. wide Course S.W.
 65.14 Intersected the W. boundary 150 lks. S. of post.
 Set post Cor. to Sect. 6 & 7, from which
 a W. Ash 12 in. dia. bears N 15 W 14 lks. dist. &
 an Elm 12 " " " N 69 E 198 " "
 over broken Land 2nd rate Soil timber Beech
 Sugar &c. not good farming Land

North Between Sect. 5 & 6
 30.58 a Beech 7 in. dia.
 40.00 Set g. Sec. post. from which
 a Sugar 12 in. dia. bears S 42 W 17 lks. dist. &
 a Do. 12 " " " N 64 E 28 " "
 59.50 a Creek 170 lks. wide Course W.
 62.35 a W. Ash 12 in. dia.

St. R9E. 2nd Mer. Indiana

ch. P. 117

79.84 Intersected the N. boundary 6.39 lks. N. of post
Set post cor. to Sect. 5 & 6, from which
a W. Oak 9 in. dia. bears S 29 E 30 lks. dist. 8
a Sapasas 10 " " " N 70 E 25 " "
rolling 2nd rate timber same good farming land.
Surveyed in 1806 By
James Sisson, L.S.

This Township is run on a variation 5°. 25'. the
E & W. lines are run at right angles in the two
east tier of sections. The rest of the E & W.
lines are run on a variation of 6°. 40'. The
Township line between Towns 5 & 6 North,
Range 9 East appears not to be a straight
line by our measurement. I was obliged
to alter the course for the convenience of
closing the sections.
James Sisson, L.S.

Comp.

I Certify that the foregoing transcript of field notes
of Township N. 6 North, of Range N. 9 East 2nd Mer.
Indiana, has been compared with the original notes
in this Office and found to be correct.
Superior General's Office
Cincinnati, Oct. 21st 1842

William Johnston
Sur. Genl.